

MATERIAL SAFETY DATA SHEET

24 HR. EMERGENCY PHONE # CHEM-TREC 1-800-424-9300

Manufacturer: ProChem, Inc.
826 Roosevelt Road
Rockford, IL 61109

Phone: (815) 398-1788
Fax: (815) 398-1810
E-Mail: Prochem1@aol.com

SECTION 1 Product Identification

CHEMICAL NAME: Gallium (III) nitrate hydrate
CAS #: 69365-72-6
FORMULA: Ga(NO₃)₃xH₂O
SYNONYM: Nitric acid, gallium(3+) salt

SECTION 2 Composition and Information on Ingredients

INGREDIENT:	CAS #	%	ACGIH (TWA)	OSHA (PEL)
Title Compound	69365-72-6	100	no data	no data

SECTION 3 Hazards Identification

EMERGENCY OVERVIEW: No particular hazard associated with this material.

PRIMARY ROUTES OF EXPOSURE: Ingestion

EYE CONTACT: May cause slight to mild irritation of the eyes.

SKIN CONTACT: May cause slight to mild irritation of the skin.

INHALATION: May be irritating to the nose, mucous membranes and respiratory tract.

INGESTION: Ingestion may lead to dizziness, abdominal cramps, vomiting, bloody diarrhea, weakness, and convulsions.

CHRONIC HEALTH EFFECTS: No information available on long-term chronic effects.

ACUTE HEALTH EFFECTS: May be irritating to skin, eyes and respiratory tract.

SECTION 4 First Aid Measures

EYE EXPOSURE: Immediately flush the eyes with copious amounts of water for at least 15 minutes. Assure flushing under eyelids. A victim may need assistance in keeping their eyelids open. Get immediate competent medical attention.

SKIN EXPOSURE: Wash affected area with water. Remove contaminated clothes if necessary. Seek medical assistance if irritation persists.

INHALATION: Remove the victim to fresh air. Closely monitor the victim for signs of respiratory problems, such as difficulty in breathing, coughing, wheezing, or pain. In such cases seek immediate medical assistance.

INGESTION: Seek medical assistance immediately. Keep the victim calm. Give the victim water (only if conscious). Induce vomiting only if directed by medical personnel.

SECTION 5 Firefighting Measures

FLASH POINT: not applicable

AUTO IGNITION TEMPERATURE: none

EXPLOSION LIMITS: none

EXTINGUISHING MEDIUM: Carbon dioxide, foam or dry powder

SPECIAL FIREFIGHTING PROCEDURES: If involved in a fire, fire fighters should be equipped with a NIOSH approved positive pressure self-contained breathing apparatus and full protective clothing.

HAZARDOUS COMBUSTION AND DECOMPOSITION PRODUCTS: If involved in a fire this material may emit irritating fumes.

UNUSUAL FIRE OR EXPLOSION HAZARDS: Metal nitrates can be oxidizers. Contact with strong reducing agents could lead to fires and/or explosions.

SECTION 6 Accidental Release Measures

SPILL AND LEAK PROCEDURES: Small spills can be mixed with vermiculite or sodium carbonate and swept up.

SECTION 7 Handling and Storage

HANDLING AND STORAGE: Store material in a tightly sealed container . Keep away from heat and direct sunlight.

SECTION 8 Exposure Controls and Personal Protection

EYE PROTECTION: Always wear approved safety glasses w/side shields, or safety goggles, face shield when handling a chemicals substance in the laboratory.

SKIN PROTECTION: Chemical-resistant.

VENTILATION: If possible, handle the material in an efficient fume hood.

RESPIRATOR: If in form of fine dust and ventilation is not available a respirator should be worn. The use of respirators requires a Respirator Protection Program to be in compliance with 29 CFR 19-10.134.

SECTION 9 Physical and Chemical Properties

COLOR AND FORM: white xtl.

MOLECULAR WEIGHT: 255.73

MELTING POINT (DEG. C.): none

BOILING POINT: no data

VAPOR PRESSURE: not applicable

SPECIFIC GRAVITY: no data

SOLUBILITY IN WATER: very soluble

SECTION 10 Stability and Reactivity

STABILITY: hygroscopic

HAZARDOUS POLYMERIZATION: no hazardous polymerization

CONDITIONS TO AVOID: Contact with strong reducing agents or organic matter. Some nitrates can explode if heated to high temperatures.

INCOMPATIBILITY: reducing agents, organic matter, phosphorus and sulfur

DECOMPOSITION PRODUCTS: nitrogen oxides and gallium salts

SECTION 11 Toxicological Information

RTECS DATA: Administration onto the skin (mammal-species unspecified); Standard Draize test: 500 mg. Intravenous (human); TDLo:7 mg/kg. Intravenous (human); TDLo: 144 mg/kg. Oral (mouse); LD50: 4360 mg/kg. Intraperitoneal (mouse); LDLo: 500 mg/kg. Subcutaneous (mouse); LD50: 600 mg/kg. Intravenous (mouse); LD50: 55 mg/kg. Intraperitoneal (rat); TDLo: 500 mg/kg/10D-1. Intraperitoneal (mouse); TDLo: 750 mg/kg/10 D-l. Mouse Leukocyte; DNA damage: 100 umol/L. Mammal(unspecified) Leukocyte;DNA damage: 40 umol.L.

MUTAGENIC EFFECTS: no data

TETRAOGENIC EFFECTS: no data

CARCINOGENIC EFFECTS: no data

To the best of our knowledge the toxicological effects of this compound have not been fully investigated.

SECTION 12 Ecological Information

ECOLOGICAL INFORMATION: No information available

SECTION 13 Disposal Considerations

DISPOSAL: Dispose of in according to local state and federal regulations.

SECTION 14 Transportation Information

Nitrates, inorganic, n.o.s., Class 5.1, UN 1477, PG II

SECTION 15 Regulatory Information

TSCA: Listed in the TSCA inventory

SARA (TITLE 313): Title compound: see category code N511 for reporting.

SECTION 16 Other Information

DISCLAIMER: The information herein is believed to be accurate and reliable as of the date compiled. However, ProChem, Inc. makes no representation, warranty, or guarantee of any kind with respect to the information in this document or any use of the product based on the information.

DATE PREPARED: 08/05