



GARDENA, CA  
NEW BRUNSWICK, NJ

# Material Safety Data Sheet

NFPA	HMS	Personal Protective Equipment				
	<table border="1"> <tr> <td style="background-color: black; color: white;">Fire Hazard</td> <td style="text-align: center; border: 1px solid black;">2</td> </tr> <tr> <td style="background-color: black; color: white;">Reactivity</td> <td style="text-align: center; border: 1px solid black;">0</td> </tr> </table>	Fire Hazard	2	Reactivity	0	<p>See Section 15.</p>
Fire Hazard	2					
Reactivity	0					

<b>Section 1. Chemical Product and Company Identification</b>		Page Number: 1
Common Name/ Trade Name	<b>Caffeine</b>	
Manufacturer	ProChem, Inc. 826 Roosevelt Rd Rockford, IL 61109	CAS# 58-08-2
Commercial Name(s)	1,3,7-trimethylxanthine	RTECS EV6475000
Synonym	3,7-Dihydro-1,3,7-trimethyl-1H-purine-2,6-dione, Trimethyl-1,3,7-dioxo-2,6-purine	TSCA TSCA 8(b) inventory: Caffeine
Chemical Name	Caffeine	<b>IN CASE OF EMERGENCY</b> <b>CHEMTREC (24hr) 800-424-9300</b>  CALL <b>815-398-1788</b>
Chemical Family	Not available.	
Chemical Formula	C8-H10-N4-O2	
Supplier		

<b>Section 2. Composition and Information on Ingredients</b>					
		<i>Exposure Limits</i>			
Name	CAS #	TWA (mg/m <sup>3</sup> )	STEL (mg/m <sup>3</sup> )	CEIL (mg/m <sup>3</sup> )	% by Weight
1) Caffeine	58-08-2				100
Toxicological Data on Ingredients		<b>Caffeine:</b> ORAL (LD50): Acute: 192 mg/kg [Rat]. 127 mg/kg [Mouse]. 224 mg/kg [Rabbit].			

<b>Section 3. Hazards Identification</b>	
Potential Acute Health Effects	Hazardous in case of skin contact (irritant), of eye contact (irritant), of ingestion, of inhalation. Severe over-exposure can result in death.
Potential Chronic Health Effects	<b>CARCINOGENIC EFFECTS:</b> 3 (Not classifiable for human.) by IARC. <b>MUTAGENIC EFFECTS:</b> Mutagenic for mammalian somatic cells. Mutagenic for bacteria and/or yeast. <b>TERATOGENIC EFFECTS:</b> Not available. <b>DEVELOPMENTAL TOXICITY:</b> Not available. The substance may be toxic to heart, gastrointestinal tract, central nervous system (CNS). Repeated or prolonged exposure to the substance can produce target organs damage. Repeated exposure to a highly toxic material may produce general deterioration of health by an accumulation in one or many human organs.

**Section 4. First Aid Measures**

<b>Eye Contact</b>	Check for and remove any contact lenses. In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Cold water may be used. WARM water MUST be used. Get medical attention.
<b>Skin Contact</b>	In case of contact, immediately flush skin with plenty of water. Cover the irritated skin with an emollient. Remove contaminated clothing and shoes. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention.
<b>Serious Skin Contact</b>	Wash with a disinfectant soap and cover the contaminated skin with an anti-bacterial cream. Seek immediate medical attention.
<b>Inhalation</b>	If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.
<b>Serious Inhalation</b>	Evacuate the victim to a safe area as soon as possible. Loosen tight clothing such as a collar, tie, belt or waistband. Seek medical attention.
<b>Ingestion</b>	If swallowed, do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention immediately.
<b>Serious Ingestion</b>	Not available.

**Section 5. Fire and Explosion Data**

<b>Flammability of the Product</b>	May be combustible at high temperature.
<b>Auto-Ignition Temperature</b>	Not available.
<b>Flash Points</b>	CLOSED CUP: Higher than 93.3°C (200°F).
<b>Flammable Limits</b>	Not available.
<b>Products of Combustion</b>	These products are carbon oxides (CO, CO <sub>2</sub> ), nitrogen oxides (NO, NO <sub>2</sub> ...).
<b>Fire Hazards in Presence of Various Substances</b>	Slightly flammable to flammable in presence of open flames and sparks, of heat. Non-flammable in presence of shocks.
<b>Explosion Hazards in Presence of Various Substances</b>	Risks of explosion of the product in presence of mechanical impact: Not available. Risks of explosion of the product in presence of static discharge: Not available.
<b>Fire Fighting Media and Instructions</b>	SMALL FIRE: Use DRY chemical powder. LARGE FIRE: Use water spray, fog or foam. Do not use water jet.
<b>Special Remarks on Fire Hazards</b>	Not available.
<b>Special Remarks on Explosion Hazards</b>	Not available.

**Section 6. Accidental Release Measures**

<b>Small Spill</b>	Use appropriate tools to put the spilled solid in a convenient waste disposal container.
<b>Large Spill</b>	Poisonous solid. Stop leak if without risk. Do not get water inside container. Do not touch spilled material. Use water spray to reduce vapors. Prevent entry into sewers, basements or confined areas; dike if needed. Eliminate all ignition sources. Call for assistance on disposal.

**Section 7. Handling and Storage**

<b>Precautions</b>	Keep locked up.. Keep away from heat. Keep away from sources of ignition. Empty containers pose a fire risk, evaporate the residue under a fume hood. Ground all equipment containing material. Do not ingest. Do not breathe dust. Wear suitable protective clothing. In case of insufficient ventilation, wear suitable respiratory equipment. If ingested, seek medical advice immediately and show the container or the label. Avoid contact with skin and eyes.
<b>Storage</b>	Keep container tightly closed. Keep container in a cool, well-ventilated area.

**Section 8. Exposure Controls/Personal Protection**

<b>Engineering Controls</b>	Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.
<b>Personal Protection</b>	Splash goggles. Lab coat. Dust respirator. Be sure to use an approved/certified respirator or equivalent. Gloves.
<b>Personal Protection in Case of a Large Spill</b>	Splash goggles. Full suit. Dust respirator. Boots. Gloves. A self contained breathing apparatus should be used to avoid inhalation of the product. Suggested protective clothing might not be sufficient; consult a specialist BEFORE handling this product.
<b>Exposure Limits</b>	Not available.

**Section 9. Physical and Chemical Properties**

<b>Physical state and appearance</b>	Solid. (Crystalline solid.)	<b>Odor</b>	Odorless.
<b>Molecular Weight</b>	194.2 g/mole	<b>Taste</b>	Bitter. (Slight.)
<b>pH (1% soln/water)</b>	6.9 [Neutral.]	<b>Color</b>	White.
<b>Boiling Point</b>	Not available.		
<b>Melting Point</b>	238°C (460.4°F)		
<b>Critical Temperature</b>	Not available.		
<b>Specific Gravity</b>	1.23 (Water = 1)		
<b>Vapor Pressure</b>	Not applicable.		
<b>Vapor Density</b>	Not available.		
<b>Volatility</b>	Not available.		
<b>Odor Threshold</b>	Not available.		
<b>Water/Oil Dist. Coeff.</b>	The product is equally soluble in oil and water; log(oil/water) = -0.1		
<b>Ionicity (in Water)</b>	Not available.		
<b>Dispersion Properties</b>	See solubility in water, diethyl ether.		
<b>Solubility</b>	Soluble in hot water. Partially soluble in cold water, acetone. Very slightly soluble in diethyl ether. Freely soluble in pyrrole; in tetrahydrofuran containing about 4% water. Soluble in pyridine, ethyl acetate. Partially soluble in alcohol Slightly soluble in petroleum ether. Solubility in water is increased by alkali benzoates, cinnamates, citrates or salicylates		

**Section 10. Stability and Reactivity Data**

Stability	The product is stable.
Instability Temperature	Not available.
Conditions of Instability	Excess heat
Incompatibility with various substances	Not available.
Corrosivity	Non-corrosive in presence of glass.
Special Remarks on Reactivity	Not available.
Special Remarks on Corrosivity	Not available.
Polymerization	Will not occur.

**Section 11. Toxicological Information**

Routes of Entry	Inhalation. Ingestion.
Toxicity to Animals	Acute oral toxicity (LD50): 127 mg/kg [Mouse].
Chronic Effects on Humans	<b>CARCINOGENIC EFFECTS:</b> 3 (Not classifiable for human.) by IARC. <b>MUTAGENIC EFFECTS:</b> Mutagenic for mammalian somatic cells. Mutagenic for bacteria and/or yeast. May cause damage to the following organs: heart, gastrointestinal tract, central nervous system (CNS).
Other Toxic Effects on Humans	Hazardous in case of skin contact (irritant), of ingestion, of inhalation.
Special Remarks on Toxicity to Animals	LDL [Human] - Route: Oral; Dose: 192mg/kg LDL [Woman] - Route: Oral; Dose: 400 mg/kg LDL [Child] - Route: Oral; Dose: 320 mg/kg
Special Remarks on Chronic Effects on Humans	May cause adverse reproductive effects (fetotoxicity, maternal (par)nutrition) and birth defects. May affect genetic material (mutagenic). May cause cancer (tumorigenic) based on animal data.
Special Remarks on other Toxic Effects on Humans	Acute Potential Health Effects: Skin: May cause skin irritation. Eyes: Dust may cause mechanical irritation. Inhalation: May cause respiratory tract irritation. Ingestion: Harmful if swallowed in large amounts. May cause gastrointestinal (digestive) tract irritation with epigastric pain, abdominal cramps, nausea, vomiting and diarrhea. Affects metabolism and cardiovascular system with symptoms including increase in metabolism, flushing, palpitations, rapid heart rate, dysrhythmias, hypotension, blood pressure elevation and weight loss, metabolic acidosis. May affect brain and behavior/central nervous system. Symptoms may include nervousness, anxiety, restlessness, insomnia, dizziness, tremor, seizures, convulsions, hallucinations, somnolence, toxic psychosis, tremors, convulsions, ataxia. May also affect blood, respiration (hyperventilation), and urinary system (mild increase in urinary volume and urinary sodium excretion), and may directly produce hypokalemia. Chronic Potential Health Effects: May cause cancer (tumorigen) based on animal studies. May cause reproductive and fetal effects. May cause digestive tract disturbances (increased gastric acid, and pepsin secretion and a decrease in lower esophageal sphincter pressure), cardiovascular disturbances. Since it is a CNS stimulant, it may also affect the Central Nervous System (CNS).


**Section 12. Ecological Information**

Ecotoxicity	Not available.
BOD5 and COD	Not available.
Products of Biodegradation	Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.
Toxicity of the Products of Biodegradation	The products of degradation are less toxic than the product itself.
Special Remarks on the Products of Biodegradation	Not available.


**Section 13. Disposal Considerations**

Waste Disposal	Waste must be disposed of in accordance with federal, state and local environmental control regulations.
----------------	--

**Section 14. Transport Information**

DOT Classification	CLASS 6.1: Poisonous material.
Identification	: Alkaloid, solid, n.o.s. (Caffeine) UNNA: 1544 PG: III
Special Provisions for Transport	Not available.
DOT (Pictograms)	

**Section 15. Other Regulatory Information and Pictograms**

Federal and State Regulations	TSCA 8(b) inventory: Caffeine										
California Proposition 65 Warnings											
Other Regulations	OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200). EINECS: This product is on the European Inventory of Existing Commercial Chemical Substances.										
Other Classifications	WHMIS (Canada)	Not controlled under WHMIS (Canada). Does not have a WHMIS classification.									
	DSCL (EEC)	R22- Harmful if swallowed. R40- Possible risks of irreversible effects. R63- Possible risk of harm to the unborn child.	S2- Keep out of the reach of children.								
HMIS (U.S.A.)	<table border="1" data-bbox="456 1759 760 1925"> <tr> <td>Health</td> <td>2</td> </tr> <tr> <td>Flammability</td> <td>1</td> </tr> <tr> <td>Reactivity</td> <td>0</td> </tr> <tr> <td>Personal Protection</td> <td>E</td> </tr> </table>	Health	2	Flammability	1	Reactivity	0	Personal Protection	E	National Fire Protection Association (U.S.A.)	 <p>Health      Flammability Reactivity      Specific hazard</p>
Health	2										
Flammability	1										
Reactivity	0										
Personal Protection	E										

**WHMIS (Canada)  
(Pictograms)**



**DSCL (Europe)  
(Pictograms)**



**TDG (Canada)  
(Pictograms)**



**ADR (Europe)  
(Pictograms)**



**Protective Equipment**



Gloves.



Lab coat.



Dust respirator. Be sure to use an approved/certified respirator or equivalent.



Splash goggles.

**Section 16. Other Information**

**References** Not available.

**Other Special Considerations** Not available.

**PREPARED JUNE 2006**

**Notice to Reader**

*All chemicals may pose unknown hazards and should be used with caution. This Material Safety Data Sheet (MSDS) applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this MSDS. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this MSDS is based on technical data judged to be reliable, ProChem Chemicals Inc. assumes no responsibility for the completeness or accuracy of the information contained herein.*