

MATERIAL SAFETY DATA SHEET

24 HR. EMERGENCY PHONE # CHEM-TREC 1-800-424-9300

Manufacturer: ProChem, Inc.
826 Roosevelt Road
Rockford, IL 61109

Phone: (815) 398-1788
Fax: (815) 398-1810
E-Mail: Prochem1@aol.com

SECTION 1 Product Identification

CHEMICAL NAME: Lead (II) chloride
CAS #: 7758-95-4
FORMULA: PbCl₂
SYNONYM: Lead(2+) chloride, Lead dichloride, Plumbous chloride

SECTION 2 Composition and Information on Ingredients

INGREDIENT:	CAS #	%	ACGIH (TWA)	OSHA (PEL)
Title Compound	7758-95-4	100	0.05mg/m ³ (as Pb)	0.05mg/m ³ (as Pb)

SECTION 3 Hazards Identification

EMERGENCY OVERVIEW: Harmful by inhalation and if swallowed. Possible risk of harm to the unborn child. Danger of cumulative effects. Possible risk of impaired fertility. May cause cancer and heritable genetic damage.

PRIMARY ROUTES OF EXPOSURE: Ingestion, skin, inhalation of dust.

EYE CONTACT: The dust may cause slight to mild irritation of the eyes.

SKIN CONTACT: The dust may cause slight to mild irritation of the skin.

INHALATION: Harmful by inhalation. Large dust exposure may cause seizures, coma, and cardio respiratory arrest.

INGESTION: Harmful if swallowed. Ingestion of dust may lead to dizziness, abdominal cramps, vomiting, bloody diarrhea, weakness, and convulsions.

CHRONIC HEALTH EFFECTS: Possible risk of impaired fertility. May cause cancer. The chronic effects include diarrhea, loss of appetite, insomnia, weakness, muscle pain, headache, dizziness, anemia. The subject of chronic lead poisoning can not be adequately addressed in this document.

ACUTE HEALTH EFFECTS: Harmful by inhalation and if swallowed. Possible risk of harm to the unborn child. Danger of cumulative effects.

SECTION 4 First Aid Measures

EYE EXPOSURE: Immediately flush the eyes with copious amounts of water for at least 15 minutes. Assure flushing under eyelids. A victim may need assistance in keeping their eyelids open. Get immediate competent medical attention.

SKIN EXPOSURE: Wash affected area with water. Remove contaminated clothes if necessary. Seek medical assistance if irritation persists.

INHALATION: Remove the victim to fresh air. Closely monitor the victim for signs of respiratory problems, such as difficulty in breathing, coughing, wheezing, or pain. In such cases seek immediate medical assistance.

INGESTION: Seek medical assistance immediately. Keep the victim calm. Give the victim water (only if conscious). Induce vomiting only if directed by medical personnel.

SECTION 5 Firefighting Measures

FLASH POINT: not applicable

AUTO IGNITION TEMPERATURE: none

EXPLOSION LIMITS: none

EXTINGUISHING MEDIUM: none required

SPECIAL FIREFIGHTING PROCEDURES: If involved in a fire, fire fighters should be equipped with a NIOSH approved positive pressure self-contained breathing apparatus and full protective clothing.

HAZARDOUS COMBUSTION AND DECOMPOSITION PRODUCTS: none

UNUSUAL FIRE OR EXPLOSION HAZARDS: No unusual fire or explosion hazards.

SECTION 6 Accidental Release Measures

SPILL AND LEAK PROCEDURES: To avoid raising dust, small spills may be mixed with diatomaceous earth, sand, vermiculite or other suitable inert material and swept up.

SECTION 7 Handling and Storage

HANDLING AND STORAGE: Store material in a tightly sealed container.

SECTION 8 Exposure Controls and Personal Protection

EYE PROTECTION: Always wear approved safety glasses w/side shields, or safety goggles, face shield when handling a chemicals substance in the laboratory.

SKIN PROTECTION: Chemical-resistant.

VENTILATION: If possible, handle the material in an efficient fume hood.

RESPIRATOR: If in form of fine dust and ventilation is not available a respirator should be worn. The use of respirators requires a Respirator Protection Program to be in compliance with 29 CFR 19-10.134.

SECTION 9 Physical and Chemical Properties

COLOR AND FORM: White powder

MOLECULAR WEIGHT: 278.1

MELTING POINT (DEG. C.): none

BOILING POINT: 950^o

VAPOR PRESSURE: no data

SPECIFIC GRAVITY: 5.85

SOLUBILITY IN WATER: .99g/100cc(20^oc)

SECTION 10 Stability and Reactivity

STABILITY: air and moisture stable

HAZARDOUS POLYMERIZATION: no hazardous polymerization

CONDITIONS TO AVOID:
INCOMPATIBILITY:
DECOMPOSITION PRODUCTS:

SECTION 11 Toxicological Information

RTECS DATA: Oral (rat); LD50: >1947 mg/kg. Intraperitoneal (rat); LD50: >1251 mg/kg. Oral (guinea pig); LDLo: 1500 mg/kg. Intraperitoneal (rat); TDLo: 70 mg/kg/7D-1. Oral (rat); TDLo: 570 mg/kg. Oral (rat); TDLo: 201 mg/kg. Oral (rat); TDLo: 141 gm/kg. Oral (rat); TDLo: 200 ppm. Intravenous (mouse); TDLo: 40 mg/kg. Intravenous (mouse); TDLo: 20 mg/kg. Intravenous (monkey); TDLo: 128 mg/kg. Human HeLa cell; DNA inhibition: 250 umol/L. Human HeLa cell; Mutation test system-not otherwise specified: 250 umol/L. Human Lymphocyte; Sister chromatid exchange: 100 ng/cm³.

MUTAGENIC EFFECTS: no data

TETRAOGENIC EFFECTS: no data

CARCINOGENIC EFFECTS: no data

To the best of our knowledge the toxicological effects of this compound have not been fully investigated.

SECTION 12 Ecological Information

ECOLOGICAL INFORMATION: No information available

SECTION 13 Disposal Considerations

DISPOSAL: Dispose of in according to local state and federal regulations.

SECTION 14 Transportation Information

Lead compounds, soluble, n.o.s., Class 6.1, UN 2291, PG III

SECTION 15 Regulatory Information

TSCA: Listed in the TSCA inventory

SARA (TITLE 313): Title compound : See category N420 for reporting.

SECTION 16 Other Information

DISCLAIMER: The information herein is believed to be accurate and reliable as of the date compiled. However, ProChem, Inc. makes no representation, warranty, or guarantee of any kind with respect to the information in this document or any use of the product based on the information.

DATE PREPARED: 3/06