



COLUMBUS CHEMICAL INDUSTRIES INC.

P.O. BOX 8
COLUMBUS, WISCONSIN 53925-0008
(920) 623-2140
FAX (920) 623-2577

Material Safety Data Sheet

May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910 1200. Standard must be consulted for specific requirements

U.S. Department of Labor

Occupational Safety and Health Administration
(Non-Mandatory Form)
Form Approved
OMB No. 1218-0072

IDENTITY (as Used on Label and List)

Sodium Nitrite

Note: Blank spaces are not permitted. If any item is not applicable or no information is available, the space must be marked to indicate that.

Section I

Manufacturers /Distributor Address Number Street City State and Zip Code

Columbus Chemical Industries

P.O. Box 8, N4335 Temkin Rd.

Columbus, WI 53925-0008

Emergency Telephone Number

CHEMTREC 1-800-424-9300

Telephone Number for Information

920-623-2140

Date Prepared

11-06-2006

Signature of Preparer (optional)

Section II - Hazardous Ingredients/Identity Information

Table with 6 columns: Hazardous Components (Specific Chemical Identity, Common Name(s)), CAS #, OSHA PEL, ACGIH TLV, Other Limits Recommended, % (optional). Row 1: Sodium Nitrite, 7632-00-0, Not available, Not available, Not available.

Section III - Physical/Chemical Characteristics

Table with 4 columns: Property, Decomposes, Specific Gravity (H2O = 1), Melting Point, Evaporation Rate (Butyl Acetate = 1). Rows include Boiling Point, Vapor Pressure (mm Hg), Vapor Density (AIR = 1), Solubility in Water, Melting Point, and Evaporation Rate.

Solubility in Water

Complete.

Appearance and Odor

White to slightly yellow powder, crystals or granules.

Section IV Fire and Explosion Hazard Data

Table with 4 columns: Flash Point (Method Used), Flammable Limits, LEL, UEL. Row 1: Nonflammable, Not applicable, Not applicable.

Extinguishing Media

Use large quantities of water. or foam. Do not use dry chemical.

Special Fire Fighting Procedures

In the event of a fire, wear full protective clothing and NIOSH/MSHA-approved self-contained breathing apparatus with full facepiece operated in the pressure demand or other positive pressure mode.

Unusual Fire and Explosion Hazards

Emits toxic fumes under fire conditions. Powerful oxidizing material. May explode if heated to 537°C (1000 °F)

Heat, shock or contact with other materials may cause fire or explosive decomposition.

**Section V Reactivity Data**

Stability	Unstable		Conditions to Avoid	Avoid contact with organic
	Stable	X		and other incompatible materials; heat

**Incompatibility Materials to Avoid**

Decomposes to nitrate in air. Explodes on contact with cyanides, ammonium salts, cellulose, lithium or sodium thiosulfate.

**Hazardous Decomposition or Byproducts**

Nitrogen oxides

Hazardous Polymerization	Conditions to Avoid		
	May Occur		Will not polymerize.
	Will Not Occur	X	

**Section VI Health Hazard Data**

Routes of Entry	Inhalation ?	Skin ?	Ingestion ?
	Yes	Yes	Yes

**Health Hazards (Acute and Chronic)**

INHALATION: Irritation, symptoms similar to ingestion. SKIN: May cause irritation, symptoms similar to ingestion are possible. EYES: Causes irritation, redness and pain.

INGESTION: If swallowed, may cause irritation to mucous membranes or death.

Carcinogenicity	NTP	IARC Monographs	OSHA REGULATED?
	Not listed	Not listed	Not listed

**Signs and Symptoms of Exposure.**

INHALATION: Irritation, cough, difficulty breathing, sneezing. SKIN/EYES: Irritation, redness and/or swelling, burns.

INGESTION: cyanosis, nausea, vertigo, vomiting, collapse, abdominal pain, coma, convulsions and death.

Medical Conditions Generally Aggravated by Exposure None identified.

Emergency and First Aid Procedures EYES: Flush eyes with large amounts of water for at least 15 minutes, holding eyelids apart.

Seek medical attention. SKIN: Immediately wash contaminated areas with water for at least 15 minutes,

INGESTION: **Give 1-2 glasses of water, encourage vomiting. Contact medical assistance immediately!**

INHALATION: Remove victim to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen.

**Section VII Precautions for Safe Handling and Use**

Steps to be Taken in Case Material is Released or Spilled Keep combustibles from spilled material. Do not touch material. For small spills: shovel or sweep up the material; do not return spilled material to original container. Transfer to clean container. To clean floors, flush with abundant quantities of water.

Waste Disposal Method Observe all federal, state, and local regulations when disposing of this material.

Precautions to be Taken in Handling and Storing Store in a cool, dry, well-ventilated area in tightly-closed, plainly-labelled containers. Store in a corrosion-resistant area. Protect against physical damage, light. Maintain adequate ventilation. Do not ingest or breathe vapors. Protect exposed tissues. Store away from heat and combustible materials. Material hygroscopic.

Other Precautions Avoid storage with oxidizable materials. Containers, even when empty, will retain residue and vapors. Always obey hazard warnings and handle empty containers as if they were full.

**Section VII Control Measures**

Respiratory Protection (Specify Type) NIOSH/MSHA-approved respirator with dust/mist cartridge.

Ventilation	Local Exhaust	<u>Necessary</u>	Special	<u>Safety shower nearby.</u>
	Mechanical (General)	<u>Recommended.</u>	Other	<u>Eye wash nearby.</u>

Protective Gloves Appropriate chemical-resistant gloves. Eye Protection Chemical safety goggles

Other Protective Clothing or Equipment Body covering clothing or plastic apron.

Work /Hygienic Practices Wash exposed areas thoroughly with soap and water after handling. Avoid contact with eyes, skin and clothing. Avoid prolonged or repeated exposure. Wash contaminated clothing before reuse. Do not wear contact lenses when handling this product. Do not ingest. Do not breathe vapors. **OXIDIZER.**

Columbus Chemical Industries, Inc. ("Columbus") believes that the information herein is factual but it is not intended to be all inclusive. The information relates only to the specific Material designated and does not relate to its use in combination with other materials or its use as to any particular process. Because safety standards and regulations are subject to change and because Columbus has no continuing control over the Material, those handling, storing or using the Material should satisfy themselves that they have current information regarding the particular way the Material is handled, stored and used and that the same is done in accordance with federal, state and local law. COLUMBUS MAKES NO WARRANTY, EXPRESS OR IMPLIED, INCLUDING (WITHOUT LIMITATION) WARRANTIES WITH RESPECT TO THE COMPLETENESS OR CONTINUING ACCURACY OF THE INFORMATION CONTAINED HEREIN OR WITH RESPECT TO FITNESS FOR ANY PARTICULAR USE.